4 August 1981

STAT	MEMORANDUM FOR:	Associate Deputy Di	rector for Processing	g, ODP		
STAT	FROM:	Security Representa	tive to Building Plan	ning Staff		
	SUBJECT:	Building Requiremen	ts - Non-office Space	;		
	REFERENCE:		, dated 10 July 1981; Requirements - Chapte			
	1. A compilation of current non-office space within the Office of Security was compiled from the Office of Logistics CRAMS System dated 1 July 1981. Two figures were derived from this review: (a) non-office space without including Security Records Division; and (b) non-office space including Security Records Division which consists of approximately 50% office space.					
	Current		1987 Projection			
	<u>A</u>	<u>B</u>	<u>A</u>	<u>B</u>		
	6,580 sq. f	t. 10,840 sq. ft.	7,000 sq. ft.			
	2. The above projection represents a "best guess" projection made by me in the absence of our space requirements personnel.					
		Γ				

Approved For Release 2003/06/20 CIA-RDF89-00244R000190120010-9

		ADPP 162-81
		31 July 1981
STAT	MEMORANDUM FOR:	Associate Deputy Director for Processing, ODP
	FROM:	AD/PP/OF
	SUBJECT:	"Non-Office Space" Survey
STAT	Attached are projected 1987)	requested in memorandum dated 9 July
	If you shoul undersigned on	d have any questions please contact the
	Atts	

STAT

STAT

Approved For Release 2003/06/20: CIA-RDP89-00244R000100120010-9

Office of Finance

Listing of Current (July 1982) Non-Office Space Used

Dedicated Rooms:	Room	Sq. Ft.	<u>Us e</u>	
Hqs	6E29/07	510_	*Vault-cash & assets	
Key	1200	405	Conf. Room	
Key	71-3.A	100	Storage & Files	
Key	712C	340	*Vault-cash & assets	
Key	702A	350	Machine Room	
Key	503A	1-5.0	Conf. Room	
Key	61.6-7606	2480	Registry	
Portion of Office Space:				
Key	615	200	Library	

*The vaults are specially reinforced areas with special thick safe vault doors. It is assumed that we would continue to need two (2) vaults if the main Office of Finance is located in a location other than the main Headquarters building.

Approved For Release 2003/06/20 I.CIA-RIDP89-00244R000109129010-9

Ken

Office of Finance

Listing of Non-Office Space Requirements for FY-87

Type of Room	No.	Sq. Ft.
Vault-special	2	800/
Conf. Rooms	3	800
Registry	1	2,000
Computer Terminal*	5	2,000
Library	1	200/
Training Room	1	300 🗸
		5,600

*Includes 350 sq. ft. of space for machines that support computer output (collator and envelope stuffer).